

Public Works Department/Municipal Operations Division

ILIFORHIT E				March 1, 2019
TO:	Deputy Public Works Director, Municipal Operations Division			
FROM:	City Arborist/Landscape Manager			
SUBJECT: Tree Removal Review – Potential Liability				
PROPERTY OWNER(S) / REQUESTER INFORMATION:				
Name:	Landsca	pe Division		
Tree Locatio	n: 720 Jasn	nine Avenue / Front	1	
A representative from the Jasmine Park Homeowners Association has requested the removal of a City Sugar Gum tree due to view encroachment and sidewalk damage. A field inspection determined the Sugar Gum is in a healthy and stable condition and does not meet the criteria for removal referenced in the G-1 Policy. The City sidewalk is lifted likely due to the roots of the tree. The sidewalk lifting can, either be mitigated with root pruning/shaving and repair to the sidewalk, or the sidewalk could be ramped within ADA specifications to avoid any root pruning. Staff is denying the removal request of the Sugar Gum tree and has advised the applicant of the reforestation and appeal processes.				
REPLACEMEN	NT TREE(S): $\sqrt{}$	YES	NO	
DESIGNATED TREE(S): Appropriate tree selected from the City's Parkway Tree Designation List, Per City Council Policy G-6.				
DEPUTY PUBLIC WORKS DIRECTOR – COMMENTS / RECOMMENDATIONS:				
	-			
Signature: _	Jears-		Date: <u>4-15-19</u>	

Public Works Department/Municipal Operations Division

TREE INSPECTION REPORT

Name:

Landscape Division

Location(s) of tree(s):

720 Jasmine Avenue / Front 1

Request:

A representative from the Jasmine Park Homeowners Association has requested the removal of a City Sugar Gum tree due to view

encroachment and sidewalk damage.

Botanical/Common Names: Eucalyptus cladocalyx / Sugar Gum

Designated Street Tree: Appropriate tree selected from the City's Parkway Tree

Designation List, Per City Council Policy G-6.

Estimated Trees Values:

\$9.830.00

Damage:

City sidewalk

Parkway:

Concrete

Brick (X) Turf

Other

Comments:

A field inspection determined the Sugar Gum is in a healthy and stable condition and does not meet the criteria for removal referenced in the G-1 Policy. The City sidewalk is lifted likely due to the roots of the tree. The sidewalk lifting can, either be mitigated with root pruning/shaving and repair to the sidewalk, or the sidewalk could be ramped within ADA specifications to avoid any root pruning.

Inspected by:

Kevin Pekar, City Arborist


Date: March 1, 2019

Recommendation: Staff is denying the removal request of the Sugar Gum tree and has advised the applicant of the reforestation and appeal processes.

Reviewed by:

Dan P. Sereno, Landscape Manager

Date: March 1, 2019





720 Jasmine Avenue

